

# F-Mount lenses

## XENON-EMERALD

Many camera manufacturers are using the F-Mount bayonet as the camera/lens interface of their high resolution area and line scan cameras. Schneider-Kreuznach has addressed this topic with the two new lenses XENON EMERALD 2.2/50mm and 2.8/100mm. These low distortion lenses with an image circle diameter of 43.2mm are compact, robust, lockable in distance and aperture, designed for close up range and optimized for a uniform image quality over the whole sensor area. The 400-1000nm broadband coating makes them suitable for applications in the visible and the infrared spectrum. And the option of alternative mounts like e.g. Canon bayonet or M42 thread makes them even more flexible for a wide range of applications in machine vision, quality control, web inspection and other image processing applications.



XENON-EMERALD 2.2/50

### Key Features

- Robust mechanics for industrial environment
- Compact and low weight
- Focus and iris setting lockable
- Coating 400 - 1000 nm
- Corrected for close up range
- Constant MTF over the entire image field

### Applications

- Machine vision and other imaging applications
- Quality control
- Web inspection
- Surface inspection
- Line scan applications

Technical Specifications	XENON-EMERALD 2.2/50
F-number	2.2
Focal length	50 mm
Image circle	43.2 mm
Transmission 400-1000nm	400 - 1000 nm
Interface	F-Mount
Weight	203 gr.
Option	Other interface on request



